




# CTC EcoLogic

---

---



**SHUNTAT SYSTEM  
MISCHER SYSTEM**

**MIXING VALVE SYSTEM  
SYSTÈME DE SHUNT**



**INNEHÅLLSFÖRTECKNING**  
**INHALTSVERZEICHNIS**

**TABLE OF CONTENTS**  
**TABLE DES MATIERES**

---

---

1.	EXTERIÖR	EXTERIOR
	EXTERIEUR	EXTERIEUR
2.	ELKOMPONENTER	ELECTRIC COMPONENTS
	ELEKTRISCHE KOMPONENTEN	COMPOSANTS ÉLECTRIQUES
3.	KYLKOMPONENTER	REFRIGERATING COMPONENTS
	KÄLTETEILE	COMPOSANTS FRIGORIFIQUES
4.	ÖVRIGT	SUNDRIES
	VERSCHIEDENES	DIVERS
5.	TILLBEHÖR	ACCESSORIES
	ZUBEHÖR	ACCESSOIRES



Panellaminat

Label

Kleber

Étiquette

**579 957 301**



Kåpa

Cover

Verkleidung

Capot

**579 955 301**



Skyftar,  
inkoppling  
el.

Sign,  
electric  
assembling

Schilder,  
elektrisch  
Installation

Plaque  
de montage  
de électrique

**579 968 301**

	Kretskort	Printed circuit board	Leiterplatte	Carte équipée	<b>579 961 402</b>
	Programkrets	Programme circuit	Programmkreis	Circuit de programme	<b>912 982 002</b>
	Distans, kretskort	Spacing sleeve, printed circuit board	Distanz, Leiterplatte	Douille, carte équipée	<b>579 967 401</b>
	Kontaktor, kompressor	Kontaktor, compressor	Kontaktor, Kompressor	Contacteur, compresseur	<b>912 590 401</b>
	Motorskydd 3,7-5,5A 5,8-8A 8-11,5A	Thermal overload protection 3,7-5,5A 5,8-8A	Motorschutz 3,7-5,5A 5,8-8A 8-11,5A	Déclencheur à maxima d'intensité 3,7-5,5A 5,8-8A 8-11,5A	<b>912 577 401</b> <b>912 577 402</b> <b>912 577 403</b>
	Kabelavlastare 3X	Cable balancing 3X	Kabelentlastung 3X	Douille décharger de cable 3X	<b>912 439 401</b>
	Kopplingsplint 20-polig 12-polig 5-polig	Terminal block 20-pole 12-pole 5-pole	Klemmleiste 20-polig 12-polig 5-polig	Bornier 20-polaire 12-polaire 5-polaire	<b>912 508 401</b> <b>912 508 403</b> <b>910 906 001</b>
	Kontaktidon, 6-polig hona hane	Plug-in contact 6-pole, female male	Kontaktvorrichtung 6-polig Buchenteil Steckerteil	Fiche de prise 6-polaire femelle male	<b>912 598 403</b> <b>912 689 403</b>
	Kontaktidon, 3-polig hona	Plug-in contact 3-pole female	Kontaktvorrichtung 3-polig Buchenteil	Fiche de prise 3-polaire femelle	<b>912 611 404</b>



Givare,  
framledning/retur  
FR1 FR2 RTG

Sensor  
Flow/return pipe  
FR1 FR2 RTG

Fühler,  
Flüss/returleitung  
FR1 FR2 RTG

Capteur,  
conduit de flux/retour  
FR1 FR2 RTG

**579 965 401**



Rumsgivare

Room sensor

Raumfühler

Capteur de pièce

**579 964 401**



Utegivare

Outdoor sensor

Aussengeber

Capteur,  
extérieur

**912 870 001**



Mutterkorg  
M5

Nut basket  
M5

Mutterkorb  
M5

Panier de écrou  
M5

**912 844 401**

Fästskruv  
MRX M5X12

Screw  
MRX M5X12

Schraube  
MRX M5X12

Vis  
MRX M5X12

**909 091 408**



Anvisning

Instruction

Anweisung

Direction

**579 962 001**

### SHUNTAT SYSTEM MISCHER SYSTEM

### MIXING VALVE SYSTEM SYSTÈME DE SHUNT



Shuntventil  
trevägs  
3MG20-6,3

Mixing valve,  
three way  
3MG20-6,3

Mischventil  
dreiwegs  
3MG20-6,3

Vanne shunt,  
à 3 voies  
3MG20-6,3

**912 570 001**



Shuntmotor  
ESBE 67

Shunt motor  
ESBE 67

Mischermotor  
ESBE 67

Moteur shunt  
ESBE 67

**912 327 401**



Trevägs zonventil  
med motor  
230V

Diverting three way  
valve with motor  
230V

Umlenkventil  
dreiwegs mit Motor  
230V

Soupape à 3 voies  
avec moteur  
230V

**912 898 401**



Kabel komplett  
med kontaktdon  
EcoLogic — EcoPart

Cable complete with  
plug-in contact  
EcoLogic — EcoPart

Kabel komplet mit  
Kontaktvorrichtung  
EcoLogic — EcoPart

Cable complet avec  
fiche de prise  
EcoLogic — EcoPart



6-pol + 3-pol 5m  
2-pol 5m  
4-pol 5m

6-pol + 3-pol 5m  
2-pol 5m  
4-pol 5m

6-pol + 3-pol 5m  
2-pol 5m  
4-pol 5m

6-pol + 3-pol 5m  
2-pol 5m  
4-pol 5m

**580 329 401**

**579 949 402**

**580 420 401**



Kabel komplett med  
kontaktdon  
EcoLogic — EcoAir

Cable complete with  
plug-in contact  
EcoLogic — EcoAir

Kabel komplet mit  
Kontaktvorrichtung  
EcoLogic — EcoAir

Câble complète avec  
fiche de prise  
EcoLogic — EcoAir



6-pol+3-pol  
15m Ø15mm  
2-pol 15m

6-pol+3-pol 15m  
Ø15mm  
2-pol 15m

6-pol+3-pol  
15m Ø15mm  
2-pol 15m

6-pol+3-pol  
15m Ø15mm  
2-pol 15m

**579 942 401**

**579 949 401**